



LOW PRESSURE PAINT GUN WITH ATOMIZING AIR

This paint gun is compatible with all kinds of products thanks to its paint circuit made of stainless steel.

CONNECTIONS:

Opening air	1/4 "
Atomizing air	3/8 "
Paint inlet	3/4 "
Ø passage of paint	14.5 mm

PAINT NOZZLE:

Ø 6 to 10 mm

AIR NOZZLE:

Ø 10 to 13.8 mm

EXTERNAL NOZZLES

A wide choice of external nozzles in stainless steel or in tungsten carbide is available, to meet all your needs in line width and performance. The carbide nozzles have a much longer durability than the stainless steel ones (about 4 times). The choice of the external nozzle depends on the diameter of the paint nozzle (see the list of nozzles on our website).

An inlet is provided for flushing the head of the gun (recommended for water-based paints). The plug of this inlet can be replaced by a connection (on request). In order to limit the width of the line, a system made of tungsten carbide can be fixed on the gun (option).

RECOMMENDATIONS

- For paint connection, use a hose with inner Ø of at least 19 mm
- For atomizing air, use a hose with inner Ø of 10 mm
- To get good performance, use an air atomizing pressure lower than the pressure in the tank
- Use an opening air pressure of at least 6 bar (87 psi) and an air atomizing pressure of maximum 5 bar (72 psi)

SPECIFICATIONS


Dimensions:	220 x 70 mm
Weight:	3.1 kg


Edwin Kamber SA reserves the right to change at any time this information



www.kambersa.ch







*Indiquer N° ou Ø

*Indicate no. or Ø



*Indicar n.° o Ø

*Nr. oder Ø angeben

Accessoires - Accessories - Accesorios - Zubehör

7020

19058-MD



NOZZLES LIST

Set of nozzles	B	C	D	E	F			
Needle Ø Article no.	11.0	11.0	11.0	11.0	11.0	7022 + 19064		
Material nozzle Ø Article no.	6.0 19035B	7.0 19035C	8.0 19035D	9.0 19035E	10.0 19036F			
Air nozzle Ø	10 19030AB	11.8 19030CD	11.8	13.8 19030EF	13.8	Slot width (mm)	Line width (cm)	Application
External nozzle No. Stainless steel = 2032- Carbide = 2033-	20 – 20					2.5	10 – 15	large output
	21					2.5	15 – 23	large output
	22	22				3.0	15 – 23	very large output
		23				2.5	20 – 40	large output
		24				2.5	50	normal
		25 – 25				3.0	10 – 18	very large output
			40	40	40	3.0	10 – 16	large output
			42	42	42	3.8	10 – 25	very large output
			44	44	44	3.5	25 – 35	very large output
					421	4.3	10 – 25	extreme output

Example for gun with set of nozzles C

- Needle: Ø 11.0 (7022 + 19064)
- Material nozzle: Ø 7.0 (19035C)
- Air nozzle: Ø 11.8 (19030CD)
- External nozzle: 2032-22 or 2033-23

Kit de réparation complet 7026 KAMBER
Kompletter Reparatursatz 7026 KAMBER



Complete repair kit 7026 KAMBER
Kit de reparación completo 7026 KAMBER



2014

Manchette GACO
Kolbenmanschette GACO
GACO U-cup for piston
Guarnición GACO para pistón



2018

Ressort piston
Kolbenfeder
Piston spring
Muelle pistón



2020

Ressort pour aiguille
Nadelfeder
Needle spring
Muelle aguja



2024

Vis d'arrêt aiguille M3-3
Verschlusschraube Nadel M3-3
Clamp-screw for needle M3-3
Tornillo de bloqueo aguja M3-3



2047 (4 x)

Filtre grille Ø 7 mm
Filter Ø 7 mm
Ø 7 mm filter
Filtro Ø 7 mm



2048

O-ring centre levier
O-ring zu Übertragungshebel
O-ring for the center lever
O-Ring para brazo palanca



2060

Joint nylon sur axe piston
Nyondichtung auf Achse
Nylon gasket on guide valve
Junta nylon sobre eje pistón



2061

Joint cuivre sur axe piston
Kupferdichtung auf Achse
Copper gasket on guide valve
Junta cobre sobre eje pistón



7010

Joint entre corps et tête
Nylondichtung zwischen Körper und Kopf
Gasket between body and head for guns
Junta nylon entre cuerpo y cabeza



7013N

Axe soupape L=14,65 mm BRONZE
Ventilachse L=14,65 mm Bronze
Valve shaft L=14,65 mm Bronze
Eje válvula L=14,65 mm Bronce



7014

Ecrou serre-joint pour O-Ring 2048
Stopfbüchse für O-Ring Nr. 2048
Packing nut 12 mm to transmission lever with O-ring
Tuerca sierrajuntas para O-Ring N°2048



8018

Guide pour tête
Pistolenkopf-Führung
Guide for the head of the gun
Guía cabeza pistola



8019

Vis inox pour fixation tête
Schraube rostfr. Befestig. Pistolenkopf
Screw to fasten the head
Tornillo inox fijación cabeza pistola



8058 (8059 + 2 x 8060 + 8061)

Jeu de joints aiguille
Dichtungssatz für Nadel
Needle packing gasket
Juego de junta aguja



8062

Serre-joint pour 8058
Stopfbüchse für 8058
Needle packing nut for 8058
Abrazaderas para 8058



9510

O-Ring
O-Ring
O-Ring
O-Ring

KAMBER SA
Chemin des Champs-Courbes 19
CH-1024 Ecublens

Tel.: +41 21 691 69 51
info@kambersa.ch



www.kambersa.ch